



ArcGIS[®] 3D Analyst[™] Graphics Accelerator Cards

An ESRI[®] Technical Paper • October 2001

Copyright © 2001 ESRI
All rights reserved.
Printed in the United States of America.

The information contained in this document is the exclusive property of ESRI. This work is protected under United States copyright law and other international copyright treaties and conventions. No part of this work may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying and recording, or by any information storage or retrieval system, except as expressly permitted in writing by ESRI. All requests should be sent to Attention: Contracts Manager, ESRI, 380 New York Street, Redlands, CA 92373-8100, USA.

The information contained in this document is subject to change without notice.

U.S. GOVERNMENT RESTRICTED/LIMITED RIGHTS

Any software, documentation, and/or data delivered hereunder is subject to the terms of the License Agreement. In no event shall the U.S. Government acquire greater than RESTRICTED/LIMITED RIGHTS. At a minimum, use, duplication, or disclosure by the U.S. Government is subject to restrictions as set forth in FAR §52.227-14 Alternates I, II, and III (JUN 1987); FAR §52.227-19 (JUN 1987) and/or FAR §12.211/12.212 (Commercial Technical Data/Computer Software); and DFARS §252.227-7015 (NOV 1995) (Technical Data) and/or DFARS §227.7202 (Computer Software), as applicable. Contractor/Manufacturer is ESRI, 380 New York Street, Redlands, CA 92373-8100, USA.

ESRI, ARC/INFO, ArcCAD, ArcIMS, ArcView, *BusinessMAP*, MapObjects, PC ARC/INFO, SDE, and the ESRI globe logo are trademarks of ESRI, registered in the United States and certain other countries; registration is pending in the European Community. 3D Analyst, ADF, the ARC/INFO logo, AML, *ArcNews*, ArcTIN, the ArcTIN logo, ArcCOGO, the ArcCOGO logo, ArcGrid, the ArcGrid logo, ArcInfo, the ArcInfo logo, ArcInfo Librarian, ArcInfo—Professional GIS, ArcInfo—The World's GIS, ArcAtlas, the ArcAtlas logo, the ArcCAD logo, the ArcCAD WorkBench logo, ArcCatalog, the ArcData logo, the ArcData Online logo, ArcDoc, ArcEdit, the ArcEdit logo, ArcEditor, ArcEurope, the ArcEurope logo, ArcExplorer, the ArcExplorer logo, ArcExpress, the ArcExpress logo, ArcFM, the ArcFM logo, the ArcFM Viewer logo, ArcGIS, the ArcGIS logo, the ArcIMS logo, ArcNetwork, the ArcNetwork logo, ArcLogistics, the ArcLogistics Route logo, ArcMap, ArcObjects, ArcPad, the ArcPad logo, ArcPlot, the ArcPlot logo, ArcPress, the ArcPress logo, the ArcPress for ArcView logo, ArcReader, ArcScan, the ArcScan logo, ArcScene, the ArcScene logo, ArcSchool, ArcSDE, the ArcSDE logo, the ArcSDE CAD Client logo, ArcSdl, ArcStorm, the ArcStorm logo, ArcSurvey, ArcToolbox, ArcTools, the ArcTools logo, ArcUSA, the ArcUSA logo, *ArcUser*, the ArcView logo, the ArcView GIS logo, the ArcView 3D Analyst logo, the ArcView Business Analyst logo, the ArcView Data Publisher logo, the ArcView Image Analysis logo, the ArcView Internet Map Server logo, the ArcView Network Analyst logo, the ArcView Spatial Analyst logo, the ArcView StreetMap logo, the ArcView StreetMap 2000 logo, the ArcView Tracking Analyst logo, ArcVoyager, ArcWorld, the ArcWorld logo, Atlas GIS, the Atlas GIS logo, AtlasWare, Avenue, the Avenue logo, the *BusinessMAP* logo, the Data Automation Kit logo, Database Integrator, DBI Kit, the Digital Chart of the World logo, the ESRI Data logo, the ESRI Press logo, ESRI—Team GIS, ESRI—The GIS People, FormEdit, Geographic Design System, Geography Matters, GIS by ESRI, GIS Day, GIS for Everyone, GISData Server, *InsiteMAP*, MapBeans, MapCafé, the MapCafé logo, the MapObjects logo, the MapObjects Internet Map Server logo, ModelBuilder, MOLE, the MOLE logo, NetEngine, the NetEngine logo, the PC ARC/INFO logo, PC ARCEdit, PC ARCPLOT, PC ARCSHELL, PC DATA CONVERSION, PC NETWORK, PC OVERLAY, PC STARTER KIT, PC TABLES, the Production Line Tool Set logo, *RouteMAP*, the *RouteMAP* logo, the *RouteMAP* IMS logo, Spatial Database Engine, the SDE logo, SML, StreetEditor, StreetMap, TABLES, The World's Leading Desktop GIS, *Water Writes*, and Your Personal Geographic Information System are trademarks; and ArcData, ArcOpen, ArcQuest, *ArcWatch*, ArcWeb, Rent-a-Tech, Geography Network, the Geography Network logo, www.geographynetwork.com, www.gisday.com, @esri.com, and www.esri.com are service marks of ESRI.

Other companies and products mentioned herein are trademarks or registered trademarks of their respective trademark owners.

ArcGIS 3D Analyst Graphics Accelerator Cards

An ESRI Technical Paper

Contents	Page
Improving 3D graphics performance with ArcGIS 3D Analyst	1
Level of support for OpenGL	1
Geometry setup	1
Geometry acceleration	1
Texture mapping	1
Z buffer resolution	1
Output resolution, colors, and refresh rate	2
Display driver	2
Chipset	2
Graphic cards tested by ESRI	2

ArcGIS 3D Analyst Graphics Accelerator Cards

Improving 3D graphics performance with ArcGIS 3D Analyst

Rendering performance in 3D scenes can be improved dramatically through the use of an OpenGL[®] graphics card. OpenGL is an industry-standard, cross-platform, 3D graphics application programming interface (API). Cards supporting this API offload compute-intensive tasks from the CPU and perform the operations in specialized hardware. A proper graphics card and graphics driver configuration is all that's necessary for 3D graphics performance to be improved in ESRI[®] ArcGIS[™] 3D Analyst[™]. No special setting in 3D Analyst is required.

A variety of OpenGL cards are available. Their capabilities and prices vary. The following sections describe issues to be aware of when making purchasing decisions.

Level of support for OpenGL

Some cards support only a partial implementation of the OpenGL API, handling few tasks in hardware. Some 3D cards made for games and the Direct3D API do not have a good OpenGL implementation (if at all). Look for cards, and their drivers, which are designed and optimized for OpenGL to achieve the best performance.

Geometry setup

Geometry setup reduces load on CPU and graphics pipeline by accepting geometry data directly rather than requiring preprocessing by the CPU into a card-specific format. Requiring less use of the CPU and the graphics pipeline improves performance.

Geometry acceleration

This form of acceleration accepts geometry primitives (e.g., triangles), projects them into 3-D camera space, clips, illuminates, projects again to 2-D screen space, and rasterizes the result. It has a significant performance impact for data-intensive applications like geographic information systems (GISs).

Texture mapping

Texture mapping handles imagery in hardware. Images, such as those from satellites, orthophotos, scanned maps, and raster-based symbols can be rendered in real time when texture mapping is supported in hardware on the card. Texture memory controls the total amount of imagery that can be used at one time. If you ever intend to use imagery or raster-based symbols in your 3D GIS applications, you should consider a card that supports this feature. The card should have at least 16MB of RAM that can be dedicated to the task. This means the total memory of the card needs to be more than 16MB.

Z buffer resolution

Z buffer resolution controls how accurately the card can perform hidden surface removal. The minimum to be considered is 16 bit, with the highest and most accurate resolution being 32 bit. 3D Analyst requests a 24-bit z buffer but will work with values both higher and lower.

Output resolution, colors, and refresh rate These control the size and quality of the resulting display on your monitor—the higher the better. Be aware that configuring a card to maximize one of its capabilities may diminish its capabilities in other areas. For example, just because a card supports a 24-bit color mode and 1280x1024 output resolution doesn't mean you can have them simultaneously. Also, depending on the card, increasing one of these parameters may impact memory available for other things such as textures.

Display driver Display driver communicates display information from the application to the graphics hardware. Some display drivers for 3D cards have limited OpenGL support or none at all. Make sure an optimized OpenGL driver is available for the card that's designed to fully exploit the capabilities of the hardware. Compatibility issues can exist between driver, card, graphics bus, and operating system version. Check with the graphics card vendor for verification. In addition, look to the graphics card vendor for updates to drivers that ship with a card. These can enhance performance and resolve bugs.

Chipset The primary factor influencing the capabilities and performance of a card is its chipset. Cards from different vendors who use the same chipset more than likely have similar capabilities and performance.

Graphic cards tested by ESRI


The following is a list of graphics cards, by manufacturer, that ESRI has used successfully* to improve rendering performance with 3D Analyst extension:

- 3Dlabs® Create!
- 3Dlabs Oxygen® GVX1 (and GVX1 Pro)
- 3D Prophet® II Pro GTS
- ATI FireGL2™
- ATI Radeon 8500™
- ATI RAGE Mobility™
- Compaq PowerStorm™
- Diamond Multimedia Viper® V770
- Diamond Multimedia Fire GL1 AGP
- Diamond Multimedia Fire GL™ 1000 PRO
- ELSA Synergy™
- ELSA GLoria™ II-64
- NVIDIA® GeForce2 GTST™
- NVIDIA GeForce2 Mx™
- NVIDIA GeForce3™
- NVIDIA Quadro2 Pro™

*Related to performance only, not rendering quality. Some cards improved performance more than others. In general, those with geometry setup and texture mapping support performed better. These cards have various restrictions that include operating system and graphics bus version. Check card requirements and your system configuration before purchasing.

The chart below indicates performance test on selected cards. As noted above the test is relevant to performance only.

Geometry & Texture Intensive Tests For Different Graphics Accelerators



Card Details:

- Nvidia GeForce3 - GeForce3 Integrated RAMDAC 64MB Driver Version: 6.13.10.2311 Video Architecture: VGA
- ATI FireGL2 - IBM RC100 256-bi /IBM GT1000 Integrated RAMDAC 64MB
- Nvidia Quadro2 Pro - GeForce 2 GTS 64MB Driver Version 6.13.10.2311
- 3D Labs Oxygen - Oxygen GVX1 Pro Integrated 300MHz RAMDAC 64MB Driver version: 2.16-0691
- 3D Prophet II Pro GTS - GeForce 2 Pro 400MHz DDR RAM 64MB Driver Version
- Radeon 8500 - ATI Radeon200 AGP (QL) Internal DAC (350MHz) 64MB card Driver Version: 5.13.01.3276

* The Radeon 8500 Card did not complete this test as it was not able to render color while drawing complex polygons (polygons with more than 3 vertices) & triangle strips (as in the case in multipaths)