

ArcInfo 8.3 System Requirements

This PDF contains system requirements information, including hardware requirements, best performance configurations, and limitations, for ArcInfo 8.3.

- [HP HP-UX 11.0](#)
- [HP HP-UX 11i \(11.11\)](#)
- [Compaq/Digital Tru64 UNIX 5.0](#)
- [Compaq/Digital Tru64 UNIX 5.1](#)
- [IBM AIX 4.3.3.0](#)
- [IBM AIX 5.1.0.0](#)
- [PC-Intel Windows 2000 Professional](#)
- [PC-Intel Windows 2000 Server](#)
- [PC-Intel Windows 2003 Server](#)
- [PC-Intel Windows NT 4.0](#)
- [PC-Intel Windows XP Professional Edition, Home Edition](#)
- [SGI IRIX 6.5.6](#)
- [SGI IRIX 6.5.9](#)
- [Sun Solaris 7 \(SPARC\)](#)
- [Sun Solaris 8 \(SPARC\)](#)

ArcInfo Workstation 8.3 on HP HP-UX 11.0

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	HP
<i>Operating System:</i>	HP-UX 11.0
<i>Service Packs/Patches:</i>	PHSS_19593, PHSS_21950, PHSS_16931, PHSS_27469, PHCO_27608
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Processor:

HP PA-RISC

Memory/RAM:

64 MB minimum (based on a single user)

Swap Space:

200 MB minimum

Window System:

CDE or HP VUE

Disk Space:

322 MB for ArcInfo and an additional 105 MB for all samples

Architecture:

700 and 8x7 Series

Notes:

- PHSS_15593: X/Motif2.1 Runtime SEP99 Cumulative Patch (or latest cumulative patch for this).
- PHSS_21950: s700_800 11.X LIBCL patch, which requires PHSS_16931.
- PHSS_27469: s700_800 11.00 LIBCL patch.
- PHCO_27608: s700_800 11.00 libc cumulative patch.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- INFORMIX Dynamic Server 9.20.HC1
- INFORMIX Dynamic Server 9.21.HC4
- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7
- Sybase Adaptive Server 11.5.1
- Sybase Adaptive Server 11.9.2

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.20.HC1
INFORMIX Dynamic Server 9.21.HC4
Oracle 8i (32 bit) 8.1.6
Oracle 8i (32 bit) 8.1.7
Sybase Adaptive Server 11.5.1
Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on HP HP-UX 11i (11.11)

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	HP
<i>Operating System:</i>	HP-UX 11i (11.11)
<i>Service Packs/Patches:</i>	see Notes section.
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Processor:

HP PA-RISC

Memory/RAM:

64 MB minimum (based on a single user)

Swap Space:

200 MB minimum

Window System:

CDE or HP VUE

Disk Space:

322 MB for ArcInfo and an additional 105 MB for all samples

Architecture:

700 and 8x7 Series

Notes:**Patches:**

- June 2002 HP-UX TCOE
- June 2002 HWEnable11i
- June 2002 GOLDBASE11i
- June 2002 GOLDAPPS11i
- June 2002 IM11i
- PHNE_27218 - s700_800 11.11 ONC/NFS General Release/Performance Patch

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

ArcInfo Workstation 8.3 on HP Tru64 UNIX 5.0

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	HP
<i>Operating System:</i>	Tru64 UNIX 5.0
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

32 MB Minimum (based on a single user) - 64 MB recommended

Swap Space:

200 MB minimum

Window System:

CDE or Motif

Disk Space:

296 MB for ArcInfo and an additional 105 MB for all samples

Notes:

Loading mandatory OS subsets:

Compaq Fortran for Tru64 UNIX Alpha Systems Run-Time Support (/usr/shlib/libfor.so) is required for ArcInfo software. In this example, CDROM is SCSI #4.

1. Mount Tru64 UNIX Associated Products CD: mount -dr /dev/rz4c /cdrom.
2. Load subset from /cdrom/ALPHA using the 'setld -l' command.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

INFORMIX Dynamic Server 9.20.FC3
INFORMIX Dynamic Server 9.21.FC4
Oracle 8i (64 bit) 8.1.6
Oracle 8i (64 bit) 8.1.7

Sybase Adaptive Server 11.5.1
Sybase Adaptive Server 11.9.2

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.20.FC3
INFORMIX Dynamic Server 9.21.FC4
Oracle 8i (64 bit) 8.1.6
Oracle 8i (64 bit) 8.1.7
Sybase Adaptive Server 11.5.1
Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on HP Tru64 UNIX 5.1

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	HP
<i>Operating System:</i>	Tru64 UNIX 5.1
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

32 MB Minimum (based on a single user) - 64 MB recommended

Swap Space:

200 MB minimum

Window System:

CDE or Motif

Disk Space:

296 MB for ArcInfo and an additional 105 MB for all samples

Notes:

Loading mandatory OS subsets:

Compaq Fortran for Tru64 UNIX Alpha Systems Run-Time Support (/usr/shlib/libfor.so) is required for ArcInfo software. In this example, CDROM is SCSI #4.

1. Mount Tru64 UNIX Associated Products CD: mount -dr /dev/rz4c /cdrom.
2. Load subset from /cdrom/ALPHA using the 'setld -l' command.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

INFORMIX Dynamic Server 9.21.FC4

Oracle 8i (64 bit) 8.1.6

Oracle 8i (64 bit) 8.1.7

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.21.FC4

Oracle 8i (64 bit) 8.1.6

Oracle 8i (64 bit) 8.1.7

ArcInfo Workstation 8.3 on IBM AIX 4.3.3.0

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	IBM
<i>Operating System:</i>	AIX 4.3.3.0
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

32 MB minimum client config. (64 MB recommended), 512 MB minimum server config.

Swap Space:

256 MB minimum (see Notes)

Window System:

CDE or Motif

Disk Space:

371 MB for ArcInfo and an additional 105 MB for all samples

Compiler:

C - version 3.6.6.2

C++ - version 3.6.6.2

Fortran - version 6.1.0.3

Notes:

256 MB minimum swap space (for RAM configurations between 32 MB and 128 MB, inclusively, may vary with installation)

2X amount of RAM MB minimum (for RAM configurations above 128 MB and up to and including 1024 MB, may vary with installation)

1X amount of RAM MB minimum (for RAM configurations above 1024 MB, may vary with installation)

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- INFORMIX Dynamic Server 9.20.UC1
- INFORMIX Dynamic Server 9.21.UC4
- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7
- Sybase Adaptive Server 11.9.2

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.20.UC1
INFORMIX Dynamic Server 9.21.UC4
Oracle 8i (32 bit) 8.1.6
Oracle 8i (32 bit) 8.1.7
Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on IBM AIX 5.1.0.0

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	IBM
<i>Operating System:</i>	AIX 5.1.0.0
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

32 MB minimum client config. (64 MB recommended), 512 MB minimum server config.

Swap Space:

256 MB minimum (see Notes)

Window System:

Motif, CDE or AIX Desktop

Disk Space:

371 MB for ArcInfo and an additional 105 MB for all samples

Compiler:

C - version 3.6.6.2

C++ - version 3.6.6.2

Fortran - version 6.1.0.3

Notes:

256 MB minimum swap space (for RAM configurations between 32 MB and 128 MB, inclusively, may vary with installation)

2X amount of RAM MB minimum (for RAM configurations above 128 MB and up to and including 1024 MB, may vary with installation)

1X amount of RAM MB minimum (for RAM configurations above 1024 MB, may vary with installation)

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

ArcInfo Workstation 8.3 on PC-Intel Windows 2000 Professional

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows 2000 Professional
<i>Service Packs/Patches:</i>	SP 1 (optional), SP 2 (optional), SP 3 (optional), SP 4 (optional)
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

CPU Speed:

450 MHz minimum

800 MHz or higher recommended

Processor:

Pentium or Higher

Memory/RAM:

128 MB minimum, 256 MB recommended or higher

Swap Space:

300 MB minimum

Utilizing Windows Terminal Server technology may require additional MB, depending on the number of clients accessing the server.

Disk Space:

ArcInfo Desktop 8.3:

605 MB NTFS; 695 MB FAT32

ArcInfo Workstation 8.3:

695 MB NTFS

Disk Space Requirements:

Disk spaces do not include the 50MB of system drive space needed for installation (typically C:\Winnt\System32). The disk space requirement for each of the ArcInfo 8.3 components are provided in the Setup program.

Notes:

Internet Explorer 5.0 requirement:

Some features of ArcInfo 8.3 require a minimum installation of Microsoft Internet Explorer Version 5.0. If you do not have an installation of Microsoft Internet Explorer Version 5.0, you must obtain and install it prior to installing ArcInfo 8.3.

If you are using a non-English operating system, you must obtain and install the appropriate language version of Internet Explorer 5.0 prior to installing ArcInfo 8.3.

License Manager Requirements:

Simple TCP/IP, Network Card or Microsoft Loopback Adapter.

For best performance (ArcInfo Desktop 8.3), the following is recommended:

- True color monitor with a minimum of 16 MB video card.

- An OpenGL graphics card is recommended to optimize performance in ArcScene. Texture mapping will be better optimized using an OpenGL graphics card with 32 MB, or more, of on-board texture memory.

- Installation on a fast, NTFS (New Technology File System) hard drive is strongly recommended.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.21.TC4
INFORMIX Dynamic Server 9.30.TC1
Oracle 8i (32 bit) 8.1.6
Oracle 8i (32 bit) 8.1.7
Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on PC-Intel Windows 2000 Server

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows 2000 Server
<i>Service Packs/Patches:</i>	SP 1 (optional), SP 2 (optional), SP 3 (optional), SP 4 (optional)
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

CPU Speed:

450 MHz minimum

800 MHz or higher recommended

Processor:

Pentium or higher

Memory/RAM:

128 MB minimum, 256 MB recommended or higher

Swap Space:

300 MB minimum

Utilizing Windows Terminal Server technology may require additional MB, depending on the number of clients running off the server.

Disk Space:

ArcInfo Desktop 8.3:

605 MB NTFS; 695 MB FAT32

ArcInfo Workstation 8.3:

695 MB NTFS

Disk Space Requirements:

Disk spaces do not include the 50 MB of system drive space needed for installation (typically C:\Winnt\System32). The disk space requirement for each of the ArcInfo 8.3 components are provided in the Setup program.

Notes:

Internet Explorer 5.0 requirement:

Some features of ArcInfo 8.3 require a minimum installation of Microsoft Internet Explorer Version 5.0. If you do not have an installation of Microsoft Internet Explorer Version 5.0, you must obtain and install it prior to installing ArcInfo 8.3.

If you are using a non-English operating system, you must obtain and install the appropriate language version of Internet Explorer 5.0 prior to installing ArcInfo 8.3.

License Manager Requirements:

Simple TCP/IP, Network Card or Microsoft Loopback Adapter.

For best performance (ArcInfo Desktop 8.3), the following is recommended:

- True color monitor with a minimum of 16 MB video card.

- An OpenGL graphics card is recommended to optimize performance in ArcScene. Texture mapping will be better optimized using an OpenGL graphics card with 32 MB, or more, of on-board texture memory.

- Installation on a fast, NTFS (New Technology File System) hard drive is strongly recommended.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.21.TC4
INFORMIX Dynamic Server 9.30.TC1
Oracle 8i (32 bit) 8.1.6
Oracle 8i (32 bit) 8.1.7
Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on PC-Intel Windows 2003 Server

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows 2003 Server
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

CPU Speed:

450 MHz minimum

800 MHz or higher recommended

Processor:

Pentium or higher

Memory/RAM:

128 MB minimum, 256 MB recommended or higher

Swap Space:

300 MB minimum

Utilizing Windows Terminal Server technology may require additional MB, depending on the number of clients running off the server.

Disk Space:

ArcInfo Desktop 8.3:

605 MB NTFS; 695 MB FAT32

ArcInfo Workstation 8.3:

695 MB NTFS

Disk Space Requirements:

Disk spaces do not include the 50 MB of system drive space needed for installation (typically C:\Winnt\System32). The disk space requirement for each of the ArcInfo 8.3 components are provided in the Setup program.

Notes:

Internet Explorer 5.0 requirement:

Some features of ArcInfo 8.3 require a minimum installation of Microsoft Internet Explorer

Version 5.0. If you do not have an installation of Microsoft Internet Explorer Version 5.0, you must obtain and install it prior to installing ArcInfo 8.3.

If you are using a non-English operating system, you must obtain and install the appropriate language version of Internet Explorer 5.0 prior to installing ArcInfo 8.3.

License Manager:

Simple TCP/IP, Network Card or Microsoft Loopback Adapter.

Installation of Sentinel System Driver v5.42.1 from <http://www.safenet-inc.com/support/files/Ssd5421.zip> is required.

For best performance (ArcInfo Desktop 8.3), the following is recommended:

- True color monitor with a minimum of 16 MB video card.

- An OpenGL graphics card is recommended to optimize performance in ArcScene. Texture mapping will be better optimized using an OpenGL graphics card with 32 MB, or more, of on-board texture memory.

- Installation on a fast, NTFS (New Technology File System) hard drive is strongly recommended.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7

For Database Integrator (DBI):

- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7
- Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on PC-Intel Windows NT 4.0

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows NT 4.0
<i>Service Packs/Patches:</i>	SP 6a
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

CPU Speed:

450 MHz minimum

800 MHz or higher recommended

Processor:

Pentium or Higher

Memory/RAM:

128 MB minimum, 256 MB recommended or higher

Swap Space:

300 MB minimum

Utilizing Windows Terminal Server technology may require additional MB, depending on the number of clients accessing the server.

Disk Space:

ArcInfo Desktop 8.3:

605 MB NTFS; 695 MB FAT32

ArcInfo Workstation 8.3:

695 MB NTFS

Disk Space Requirements:

Disk spaces do not include the 50MB of system drive space needed for installation. (Typically C:\Winnt\System32)

The disk space requirement for each of the ArcInfo 8.3 components are provided in the Setup program.

Notes:**Internet Explorer 5.0 requirement:**

Some features of ArcInfo 8.3 require a minimum installation of Microsoft Internet Explorer Version 5.0. If you do not have an installation of Microsoft Internet Explorer Version 5.0, you must obtain and install it prior to installing ArcInfo 8.3.

If you are using a non-English operating system, you must obtain and install the appropriate language version of Internet Explorer 5.0 prior to installing ArcInfo 8.3.

License Manager Requirements:

Simple TCP/IP, Network Card or Microsoft Loopback Adapter.

For best performance (ArcInfo Desktop 8.3), the following is recommended:

- True color monitor with a minimum of 16MB video card.

- An OpenGL graphics card is recommended to optimize performance in ArcScene. Texture mapping will be better optimized using an OpenGL graphics card with 32MB, or more, of on-board texture memory.

- Installation on a fast, NTFS (New Technology File System) hard drive is strongly recommended for the Desktop Application.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.20.TC1
INFORMIX Dynamic Server 9.21.TC4
Oracle 8i (32 bit) 8.1.6
Oracle 8i (32 bit) 8.1.7

Sybase Adaptive Server 11.5.1
Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on PC-Intel Windows XP Professional Edition, Home Edition

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	PC-Intel
<i>Operating System:</i>	Windows XP Professional Edition, Home Edition
<i>Service Packs/Patches:</i>	SP 1 (optional)
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

CPU Speed:

450 MHz minimum

800 MHz or higher recommended

Processor:

Pentium or higher

Memory/RAM:

128 MB minimum, 256 MB recommended or higher

Swap Space:

300 MB minimum

Utilizing Windows Terminal Server technology may require additional MB, depending on the number of clients accessing the server.

Disk Space:

ArcInfo Desktop 8.3:

605 MB NTFS; 695 MB FAT32

ArcInfo Workstation 8.3:

695 MB NTFS

Disk Space Requirements:

Disk spaces do not include the 50MB of system drive space needed for installation (typically C:\Winnt\System32). The disk space requirement for each of the ArcInfo 8.3 components are provided in the Setup program.

Notes:**Internet Explorer 5.0 requirement:**

Some features of ArcInfo 8.3 require a minimum installation of Microsoft Internet Explorer Version 5.0. If you do not have an installation of Microsoft Internet Explorer Version 5.0, you must obtain and install it prior to installing ArcInfo 8.3.

If you are using a non-English operating system, you must obtain and install the appropriate language version of Internet Explorer 5.0 prior to installing ArcInfo 8.3.

License Manager Requirements:

Simple TCP/IP, Network Card or Microsoft Loopback Adapter.

For best performance (ArcInfo Desktop 8.3), the following is recommended:

- True color monitor with a minimum of 16 MB video card.

- An OpenGL graphics card is recommended to optimize performance in ArcScene. Texture mapping will be better optimized using an OpenGL graphics card with 32 MB, or more, of on-board texture memory.

- Installation on a fast, NTFS (New Technology File System) hard drive is strongly recommended.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

ArcInfo Workstation 8.3 on SGI IRIX 6.5.6

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	SGI
<i>Operating System:</i>	IRIX 6.5.6
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

64 MB based on a single user.

Swap Space:

200 MB minimum

Window System:

Motif

Disk Space:

259 MB for ArcInfo and an additional 105 MB for all samples

Notes:

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- INFORMIX Dynamic Server 9.20.UC1
- INFORMIX Dynamic Server 9.21.UC4
- Oracle 8i (32 bit) 8.0.6
- Sybase Adaptive Server 11.5.1

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.20.UC1
INFORMIX Dynamic Server 9.21.UC4
Oracle 8i (32 bit) 8.0.6
Sybase Adaptive Server 11.5.1

ArcInfo Workstation 8.3 on SGI IRIX 6.5.9

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	SGI
<i>Operating System:</i>	IRIX 6.5.9
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

64 MB based on a single user.

Swap Space:

200 MB minimum

Window System:

Motif

Disk Space:

259 MB for ArcInfo and an additional 105 MB for all samples

Notes:

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

INFORMIX Dynamic Server 9.20.UC1

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.20.UC1

ArcInfo Workstation 8.3 on Sun Solaris 7 (SPARC)

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	Sun
<i>Operating System:</i>	Solaris 7 (SPARC)
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

32 MB based on a single user

Swap Space:

100 MB minimum (see Notes)

Window System:

CDE or Open Windows (see Notes)

Disk Space:

317 MB for ArcInfo and an additional 105 MB for all samples

Notes:

Swap Space is the minimum required for a single user.

OpenWindows™ is now a support level of three (untested) due to the fact that we are now linking to Motif libraries, which are newer than the ones that OpenWindows utilizes.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- INFORMIX Dynamic Server 9.21.UC4
- INFORMIX Dynamic Server 9.21.UC5
- INFORMIX Dynamic Server 9.21.UC6
- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7

- Sybase Adaptive Server 11.5.1
- Sybase Adaptive Server 11.9.2

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.21.UC4

INFORMIX Dynamic Server 9.21.UC5

INFORMIX Dynamic Server 9.21.UC6

Oracle 8i (32 bit) 8.1.6

Oracle 8i (32 bit) 8.1.7

Sybase Adaptive Server 11.5.1

Sybase Adaptive Server 11.9.2

ArcInfo Workstation 8.3 on Sun Solaris 8 (SPARC)

<i>Product:</i>	ArcInfo Workstation 8.3
<i>Platform:</i>	Sun
<i>Operating System:</i>	Solaris 8 (SPARC)
<i>Shipping/Release Date:</i>	February 10, 2003

Hardware Requirements

Memory/RAM:

32 MB RAM based on single user

Swap Space:

100 MB minimum (see Notes)

Window System:

CDE or Open Windows (see Notes)

Disk Space:

317 MB for ArcInfo and an additional 105 MB for all samples

Notes:

Swap Space is the minimum required for a single user.

OpenWindows™ is now a support level of three (untested) due to the fact that we are now linking to Motif libraries, which are newer than the ones that OpenWindows utilizes.

Printer Support:

Please note that some printer drivers do not support complex maps and the ArcPress printer driver or additional hardware may be needed for these complex maps.

Supported Databases

For ArcStorm:

- INFORMIX Dynamic Server 9.21.UC4
- INFORMIX Dynamic Server 9.21.UC5
- INFORMIX Dynamic Server 9.21.UC6
- Oracle 8i (32 bit) 8.1.6
- Oracle 8i (32 bit) 8.1.7

For Database Integrator (DBI):

INFORMIX Dynamic Server 9.21.UC4

INFORMIX Dynamic Server 9.21.UC5

INFORMIX Dynamic Server 9.21.UC6

Oracle 8i (32 bit) 8.1.6

Oracle 8i (32 bit) 8.1.7