Esri Demographic Data Release Notes: Mongolia

Release: October 2020

Introduction

The Esri demographic dataset for Mongolia provides key population, and household attributes for use in a variety of applications. Release notes provide information such as the attribute list, vintage, source, and changes to the dataset. The methodology document provides additional information regarding methods and definitions. Refer to the associated csv file for a list of attributes.


Esri demographic datasets are part of the <u>Living Atlas of the World</u>. The Living Atlas is an incredible collection of maps and apps from around the world. It features Esri and user content, that can enhance your research and analysis. You too can contribute your maps, apps, and story maps through the <u>Living Atlas contributor app</u>.

Using Demographic Data

Government agencies use demographic data to provide better services to citizens. Marketers use demographic data to select store locations, target customers, and improve product mix. Utilities use demographic data to understand population changes in their service areas and to plan growth and distribution accordingly.

When you map Esri demographic layers along with your data, you can answer questions such as "who are my customers?" and "where should we open the next store?" For example, map your retail locations or offices on top of Esri demographic attributes such as population, age, and purchasing power, to understand the local community from a demographic perspective. Once you see the general pattern, Esri products such as ArcGIS Online, Business Analyst, and ArcGIS Maps for Office, can help you find other suitable locations for new stores based on actionable criteria.

Use the <u>Data Browser</u> in Esri products such as <u>ArcGIS Online</u>, <u>Business Analyst</u> and <u>ArcGIS Maps for</u> <u>Office</u> to easily find the attributes you want. Browse by category such as **Age**, or search by **Alias Name**, as shown below:



Map the attributes you select using the dataset's features, or create your own custom analysis areas. Esri products calculate new attribute values and answer questions such as "How many older people live within a five minute drive of the proposed clinic?"

© 2020 Esri Phone: 800-292-2224 • www.esri.com Page **1** of **3**

Esri Demographic Data Release Notes: Mongolia

Release: October 2020

Continue below for additional details regarding the Mongolia dataset.

Source

Data: © Michael Bauer Research GmbH 2020 based on © National Statistical Office, UN.

Boundaries: © Michael Bauer Research GmbH, Nuremberg, Germany, 2020.

Dataset Information

Mongolia		
3 Letter ISO Country code	MNG	
Currency	Tugrik	
3 Letter Currency code	MNT	
Number of attributes available	17	
Number of geography levels	3	

Geographic Levels and Feature Counts

	Geography Levels Available for Mongolia	Geography Levels Available through ArcGIS.com Maps	Feature Count
Country	X	X	1
Regions	X	X	5
Provinces	X	X	22

Data Apportionment Settings

Threshold Upper Bound	Aggregation Method	Level of Geography
150 km	Block Apportion	MN.Provinces
more	Centroids In Polygon	MN.Provinces

Attributes

Refer to the associated csv file for a list of attributes. The following information is included for each attribute:

Variable ID Unique variable ID that consists of no more than 10 characters

Alias Name Description associated with Variable ID.

Category Shows the <u>Data Browser</u> category for each attribute.

Data Collection Shows the data collection within the **Category**.

Field Category Shows the field category within the **Data Collection**.

© 2020 Esri Phone: 800-292-2224 • www.esri.com Page **2** of **3**

Esri Demographic Data Release Notes: Mongolia

Release: October 2020

Long Description Long description associated with Variable ID.

Year Vintage represents the year for which projections were created.

Change Summary

Changes to geography level names

None.

New Attributes

None.

Attributes no longer available

None.

© 2020 Esri Phone: 800-292-2224 • <u>www.esri.com</u> Page **3** of **3**